

Unclassified

⑧

AD-A202 930

DTIC
LECTE

2b. DECLASSIFICATION/DOWNGRADING SCHEDULE

DEC 16 1988

4. PERFORMING ORGANIZATION REPORT NUMBER(S)

DC

6a. NAME OF PERFORMING ORGANIZATION

Harvard College Observatory
Harvard University

6b. OFFICE SYMBOL
(If applicable)

6c. ADDRESS (City, State and ZIP Code)

Office for Sponsored Research
Cambridge, MA 02138

1b. RESTRICTIVE MARKINGS

TMG FILE COPY

3. DISTRIBUTION/AVAILABILITY OF REPORT

Approved for public release;
distribution unlimited

5. MONITORING ORGANIZATION REPORT NUMBER(S)

AFOSR-TK- 88-1322

8a. NAME OF FUNDING/SPONSORING
ORGANIZATION

AFOSR

8b. OFFICE SYMBOL
(If applicable)

NP

7a. NAME OF MONITORING ORGANIZATION

Air Force Office of Scientific Research

7b. ADDRESS (City, State and ZIP Code)

Air Force Systems Command, USAF
Bolling AFB, Washington, DC 20332

9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER

AFOSR 85-0076

10. SOURCE OF FUNDING NOS.

PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT NO.
61102F	2917	A6	

11. TITLE (Include Security Classification)

University Research Instrumentation Upgrade

12. PERSONAL AUTHOR(S)

C. Papaliolios

13a. TYPE OF REPORT

Final

13b. TIME COVERED

FROM 1/1/85 TO 6/30/87

14. DATE OF REPORT (Fr., Mo., Day)

5/27/88

15. PAGE COUNT

2

16. SUPPLEMENTARY NOTATION

17. COSATI CODES

FIELD	GROUP	SUB. GR.

18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)

adaptive optics; speckle imaging

19. ABSTRACT (Continue on reverse if necessary and identify by block number)

Under this grant we have developed and equipped a new optics lab for laboratory studies of the use of adaptive optics techniques. The first objective will be to perform partial, low order wavefront correction to a series of incoming distorted wavefronts that vary in time. The distortion of these incoming wavefronts will be measured with the newly acquired wavefront sensor, and low order partial correction to the wavefronts will be done with a few deformable optical elements. We will then apply our well developed speckle techniques to these partially corrected wavefronts and measure the improvement in the reconstructed images. This will be done under controlled laboratory conditions, using a photon counting camera, also acquired under this grant. We expect to characterize this combined process of adaptive optics and speckle imaging to determine whether it is a useful means of producing high resolution images under realistic data gathering conditions. Our expectations of success based on calculations done several years ago are quite high.

20. DISTRIBUTION/AVAILABILITY OF ABSTRACT

UNCLASSIFIED/UNLIMITED SAME AS RPT. DTIC USERS

22a. NAME OF RESPONSIBLE INDIVIDUAL

Henry Radoski

21. ABSTRACT SECURITY CLASSIFICATION

Unclassified

22b. TELEPHONE NUMBER
(Include Area Code)

(202) 767-4906

22c. OFFICE SYMBOL

NP

Under this grant we have developed and equipped a new optics lab for laboratory studies of the use of adaptive optics techniques. The first objective will be to perform partial, low order wavefront correction to a series of incoming distorted wavefronts that vary in time. The distortion of these incoming wavefronts will be measured with the newly acquired wavefront sensor, and low order partial correction to the wavefronts will be done with a few deformable optical elements. We will then apply our well developed speckle techniques to these partially corrected wavefronts and measure the improvement in the reconstructed images. This will be done under controlled laboratory conditions, using a photon counting camera also acquired under this grant. We expect to characterize this combined process of adaptive optics and speckle imaging to determine whether it is a useful means of producing high resolution images under realistic data gathering conditions. Our expectations of success based on calculations done several years ago are quite high.

The reason for combining the two techniques of image improvement (adaptive optics, and speckle imaging) is to enable us to push the imaging capabilities towards objects that are more complex, and fainter than objects currently observed. Adaptive optics techniques have been successfully demonstrated many years ago, but only for objects that are quite bright. Speckle imaging has extended the magnitude limits substantially but a further improvement is still needed to study those objects of greatest astronomical interest.

The path leading to this capability has been slow and sometimes painful, but the progress has been real and further important improvements are now within reach. Many of the problems in getting here come from the fact that state-of-the-art sensors and detectors are required. Now that we have the lab in place, we can begin to answer some of the questions we raised several years ago.

In anticipation of success with the laboratory measurements, the system we will assemble will be portable. This will enable us to test the final system on a telescope with real data, but this step will be taken only after laboratory characterization of the process is performed.



Accession For	
NTIS	CRM&I
DTIC	TAB
Unpublished	
Justification	
By	
Distribution	
Priority	
Ref	OR

A-1

DOD EQUIPMENT LIST

AFOSR-85-0076

ITEM	VENDOR	Original Budget	Actual Cost	PO Number	Amount Disbursed	Date 10/86	Outstanding Obligations 36,000
WAVEFRONT SENSOR ADAPTIVE OPTICS;							
6 UPGRADE	DIGITAL EQUIPMENT	30,000	5,033	S32469	5,033	11/85	
6 UPGRADE	ADAPTIVE OPTICS	50,000	544780-1		50,000		
Subtotal		\$113,000	\$178,396		\$92,396	4	\$86,000
PHOTON COUNTING ADAPTIVE OPTICS CAMERA		27,000	34,000	S44782			34,000
TAPE DRIVE	S&S ELECTRONICS	5,500	5,955	S51113	5,955	12/85	
OPTICAL COMPONENTS	PLANAR OPTICS JAEGERS	4,900	1,402	R69907	1,402	3/85	
OSCILLOSCOPE	HITACHI	1,300	1,868	90168-DA	1,868	1/86	
OPTICAL TABLE	SYSTECHNICAL MANUFACTURING	10,650	5,695	T51231	5,695	1/87	
MOUNT HARDWARE	KLINGER	8,350	6,642	T56267	6,642	1/87	
STAGES & MOUNTS	PHYSITEC NEWPORT	6,200	548	T56269	548	1/87	
MOTORIZED ACTUATORS(4)	OPTICAL BREADBOARDS	8,250	0				
LASERS(2)	UNIPHASE	3,150	0				
PZT TRANSLATORS	& BURLEIGH	1,450	689	T56271	689	1/87	
HALOGEN LAMP		5,550	4,464	T64023	4,464	3/87	
ARC LAMP		850	0				
RAMP GENERATOR		1,500	0				
LVEM DEFORMABLE MIRROR		5,200	0				
STABILIZED LASER		40,000	0				
TOTAL TO DATE		\$249,450	\$249,504		\$129,504		\$120,000